

Anhang 1. Bewertung inkludierter Leitlinien nach DELBI (2008)

Name der Leitlinie	Rater	DELBI 1: Geltungsbereich und Zweck	DELBI 2: Beteiligung von Interessengruppen	DELBI 3: Methodologische Exaktheit	DELBI 4: Klarheit und Gestaltung	DELBI 5: Anwendbarkeit	DELBI 6: Redaktionelle Unabhängigkeit	Anwendbarkeit im deutschen Gesundheitssystem	Method. Exaktheit bei Verwend. exist. Leitlinien	DELBI Gesamtwert
NICE (1)	1	9	11	21	16	4	2	15	NA	78
NICE (1)	2	9	12	22	15	5	2	13	NA	78
VA DoD (2)	1	10	9	16	10	4	2	18	7	69
VA DoD (2)	2	11	8	17	11	4	2	15	5	68
WHO (3)	1	9	9	21	13	3	7	14	NA	76
WHO (3)	2	8	9	22	10	3	7	14	NA	73
ACPMH (4)	1	10	11	22	15	5	6	17	NA	86
ACPMH (4)	2	10	12	22	13	3	6	16	NA	82

- (1) National Institute for Clinical Excellence (London). Post-traumatic stress disorder (PTSD): the management of PTSD in adults and children in primary and secondary care. London: National Institute for Clinical Excellence; 2005.
- (2) VA, DoD. VA/DoD Clinical practice guideline for the management of Posttraumatic Stress Disorder and Acute Stress Disorder. Washington D.C.: Department of Veterans Affairs; 2010.
- (3) WHO. Guidelines for the management of conditions specifically related to stress. Geneva: World Health Organization; 2013.
- (4) Forbes D. Australian guidelines for the treatment of adults with acute stress disorder and post-traumatic stress disorder. 2013.